Order Ready Portfolio

Please note platform exceptions as follows:
Dell Latitude™ E6420XFR, XT2 XFR
OptiPlex™ FX130, OptiPlex FX170

Linux OS unsupported. No OS selection is required on N-Series.

| PRODUCT		SUMMARY	PLATFORM/ CHASSIS AVAILABILITY
		ASSET MANAGEMENT / SECURITY	
Dell Standard Asset Tags	Barcode 8FCT81J / System Type D600 / Order No 103284757 / Cust PO 384SRMRVOORR / Shipdate 22 – SEP – 04	Dell will generate a silver vinyl asset tag (choice of 6) and affix it to each new system as it is built.	**All OptiPlex™** **All Latitude™** **All Dell Precision™** **All PowerEdge™**
Shipbox Label	Service Tag: 56GT81J / System Type: GX620 / Processor Type: XXXX / Memory 1024 / OS Installed: XXXX	White vinyl asset label containing key system information affixed to the shipping box to enable fast identification of contents without opening the box. (Choice of 4).	**All OptiPlex** **All Latitude** **All Precision** **All PowerEdge**
StopTrack Anti-theft Label	Equipment protected against theft / StopTrack / DS0012345 / Stolen Equipment ID 1234567 / www.stoptrack4dell.com	3-in-one protection with a metal label, a 'stolen' label and tracking service in the event of theft. Can also be ordered in conjunction with an asset tag. (can be customised – see end.)	**All OptiPlex** **All Latitude** **All Precision** **Can be self-applied on any other Dell system**
XPM ID Security Plate	DELL Equipment protected against theft / International Recovery Service: Tel: 00 800 830 810 00 or www.euro-id.com / DEMO 1234	Asset identification with international recovery service. The unique insert bearing the important ID and recovery information is injected into the heart of the ID marking and is resistant to solvents and chemicals. In the case of attempted plate removal, the recovery information remains intact and welded to the equipment. Labels measure: 28mm x 46mm (can be customised – see end.)	**All OptiPlex** **All Latitude** **All Precision**
Computrace Data Protection **ComputraceOne®**	**Computrace** BY **Absolute**Software	The Computrace software agent is installed in the system BIOS and hard drive. **Computrace Data Protection** offers : ▪ *Asset administration:* Monitor user information, licenses, hardware, installed applications, and other device details ▪ *Data and Device Security:* Remotely delete sensitive data on missing computers and produce an audit log of the deleted files to prove compliance with government and corporate privacy regulations. Use Device Freeze to freeze a computer and display a custom message to the user encouraging them to comply with specific requests for action (return for servicing, user ID validation, etc.) ▪ *Geotechnology:* Use GPS or Wi-Fi technology to track assets on an internet map. Build pre-defined areas (geofences) and apply rules and receive alerts if a device strays outside of the fenced area. (requires customer activation) **ComputraceOne** offers the above plus: *Theft Recovery* — If a system is stolen, Absolute are fully certified to work with local law enforcement to recover. ▪ Available **at point of system** sale with 3 and 4, year licences ▪ Available **after system sale** with 1-5 year licences – not just on Dell systems	**All OptiPlex** **All Latitude** **All Precision** (Not available on N-Series systems)

StopTrack and XPM Anti-theft labels may be customised to your unique requirements.
Your corporate logo and details can be added to these labels. (100 unit minimum).
Please contact your Account Manager for more information.

Dell Services

PRODUCT		SUMMARY	PLATFORM/ CHASSIS AVAILABILITY
		ASSET MANAGEMENT / SECURITY	
Kensington® MicroSaver® Single Head Universal lock **Kensington Microsaver® Twin Head Universal Lock**		**Single-Head:** Patented T-bar locking mechanism and super-strong carbon tempered steel cable provide maximum protection that attaches to the standard Kensington security slot found in 99% of laptops. **Twin Head:** Secure up to 2 pieces of computer equipment . Twice the patented T-bar security, twice the protection.	**All OptiPlex** **All Latitude** **All Precision**
Noble NS20 Universal Swivel Locks		2 available: Noble NS20 Universal Swivel Lock / with Peripheral Trap attached; Noble NS20 Universal Swivel Dual-Head Lock / with Peripheral Trap attached (Also available in master-key and keyed-alike versions.)	**All OptiPlex** **All Latitude** **All Precision**
Noble Custom Locks		4 available for: USFF, SF, DT, MT chassis, OptiPlex Secures chassis and up to 3 peripheral cables. (Also available in master-key and keyed-alike versions.)	**All OptiPlex** (except OptiPlex XE)
Kensington BlackBelt		The Kensington BlackBelt™ protects the edges and cushions the Dell Latitude ST while offering a secure grip for handling in any orientation. Easy port access to all controls and easy stylus removal	**Latitude**: ST
		NETWORK COMMUNICATIONS	
3 Metre CAT 5 Network Cable		An unshielded twisted pair type cable designed for high signal integrity with an Ethernet capability of 100 Mbits/s.	**All OptiPlex** **All Latitude** **All Precision** **All PowerEdge**
3 Metre CAT 6 Network Cable		As above with more stringent specifications for crosstalk and system noise. Provides performance of up to 250 MHz and is suitable for 10BASE-T / 100BASE-TX and 1000BASET (Gigabit Ethernet).	**All OptiPlex** **All Latitude** **All Precision** **All PowerEdge**
		SOFTWARE	
Nero 10 Essentials OEM Suite 2B (no media)		A powerful multimedia suite that gives the freedom to create, rip, copy, burn, edit, share, and upload online: music, video, photo and data	**All OptiPlex** **All Precision** **All Latitude** (Not available on N-Series systems)
Mozilla® Firefox® 3.6 Web Browser (no media)		This popular browser software factory-installed and ready to run on a new system. Available in ALL major European languages	**All OptiPlex** **All Precision** **All Latitude** (Not available on N-Series systems)

Dell Services

PRODUCT	SUMMARY	PLATFORM/ CHASSIS AVAILABILITY
	BACKUP / STORAGE	
NEW – Dell Exclusive		
Millenniata (M-Disk) Permanent Disks and M-Drive Writers	The M-Disc is the first ever permanent file backup disc that can last for centuries. Unlike computer hard-drives and optical discs (CD and DVD) that suffer from decay, the M-DISC cannot be overwritten, erased, or corrupted by natural processes. Best of all, you can access your data anywhere and anytime. (Internal and external M-Writers available.) **Packs of 5, 10, 25 and 50 Disks available**	**All OptiPlex All Latitude All Precision**
CRU SATA HDD Caddy + option of 160GB, 250GB, 500GB or 1TB SATA II HDD	Ensure any HDD can be removable allowing storage of sensitive data, media archiving or transporting large files. 25K insertion cycle rating. Can be used as a primary or second HDD device.	**All Precision Desktops** (excluding 7600) **All OptiPlex** (excluding OptiPlex XE)
19'' 4 Post Desktop Rack Mounting Solution	This compact, space-saving sliding shelf is designed to efficiently utilize available rack space. With 20.4Kg (45lb) weight capacity it supports desktops up to 50.8cm/20" deep and 44.9cm/17.7" wide. The shelf extends to 57.2cm/22.5"	**OptiPlex:** All MT chassis **Precision:** T1600,T1650,T3500,T3600, T5500,T5600
1TB and 2TB SATA II Hard Drive	Primary Hard Drive : 1 or 2TB (7200RPM) Serial ATA II. Additional Hard Drive : 1 or 2TB (7200RPM) Serial ATA II.	**All OptiPlex** (Additional drives not available on SF or DT)
NEW **60GB, 120GB, 256GB, 512GB SSD 2.5 inch SATA 3 Solid State Hard Drives**	Solid-state technology brings a new level of performance and reliability to data storage. No moving parts provides for quieter, cooler and more durable solutions to traditional hard disk drives. Primary and additional drives available.	**OptiPlex:** 790, 7010,990,9010 SF/DT/MT **Precision:** DT **All Latitude:** (excluding 6220)
Amacom 2, 4, 8, 16 & 32GB USB Memory Keys	Exclusively supplied to Dell with TrueCrypt, a fast file security programme that password protects, locks or hides any number of files, folders or documents. (Can be customised – see below)	**All OptiPlex All Latitude All Dell Precision All PowerEdge**
Orlogix® Transfer MyPC	Transfer MyPC quickly and easily transfers customized settings, preferences, data files, email, applications and more from an old PC to a new PC. Available in single, 5, 10, 25 user licences.	**All OptiPlex All Precision All Latitude All Inspiron** (inc XPS/Studio) **All Vostro**
Orlogix® Replace MyPC Suite	Comprising 3 software programmes: Transfer MyPC, Backup MyPC and Erase My PC on a single user licence to assist with speedy data migration.	**All OptiPlex All Precision All Latitude All Inspiron** inc XPS/ Studio **All Vostro**

**Amacom 2, 4, 8, 16, 32GB memory keys may be customised to your unique requirements.**
Have your corporate logo laser-etched onto these keys for security or promotional purposes at no additional charge (200 unit min). Please contact your Account Manager for more information.

PRODUCT	SUMMARY	PLATFORM/ CHASSIS AVAILABILITY
GRAPHICS		
Matrox® M9120 Plus LP PCIe x1 M9140 LP PCIe x16	M9120 Plus: Dual monitor DVI or VGA M9140: Quad monitor DVI or VGA Card size: 16.8 x 6.9cm. Max digital resolution per display 1920 x 1200. Max analogue resolution per display: 2048 x 1536 (dual) 1920 x 1200 (quad). Ultra low power consumption. Adapter to take dual to quad (analogue).	**All OptiPlex** (excl USFF) **All Precision Desktops**
Matrox® M9138 LP Triple PCIe x 16 Graphics Card	With 1 GB memory and low profile form factor, suitable for multiple applications with excellent performance. Card size: 16.8 x 6.9cm. Max DisplayPort resolution per display 2560 x 1600. Max DVI resolution per display: 1920 x 1200. Passive cooling.	**All OptiPlex** (excl USFF) **All Precision Desktops**
Matrox® M9148 LP Quad PCIe x 16 Graphics Card	The M9148 renders pristine image quality on up to 4 DisplayPort monitors for an exceptional multi-monitor experience. Card size: 16.8 x 6.9cm. Max DisplayPort resolution per display 2560 x 1600. Max DVI resolution per display: 1920 x 1200. Passive cooling, low profile.	**All OptiPlex** (excl USFF) **All Precision Desktops**
nVidia® Quadro® NVS 400 512 Dual PCIe 2.0 x 16 Graphics Card	Designed for efficiency, Quadro 400 consumes less than 35W and has a low-profile footprint . Card size: 14.2 x 6.9cm. Max digital resolution 2560 x 1600 @60Hz (dual link). DVI to VGA adaptor, DisplayPort to DVI adaptor.	**OptiPlex:** 390, 3010,790, 7010,990, 9010 SF/MT
nVidia® Quadro® NVS 600 1GB Dual PCIe 2.0 x 16 Graphics Card	Built for Professionals and certified on leading CAD and DCC applications. Maximises productivity while conserving energy. Designed for both small form factor and full height systems. Card size: 16.8 x 6.9cm. Max digital resolution 2560 x 1600@60Hz (dual link). DVI to VGA adapter, DisplayPort to DVI adaptor.	**OptiPlex:** 390, 3010, 790,7010,990, 9010 SF/MT
nVidia® Quadro® NVS 450 512MB PCIe QUAD Graphics Card	4 x Display Port outputs. Display Port – DVI-D Card size: 16.8cm x 5.6cm Max Display Port resolution 2560 x 1600 per display. Low power consumption and passive cooling.	**OptiPlex:** 580,780DT/MT 380, 3010,790,7010, 990,9010 MT **All Precision Desktops**
DISPLAY ACCESSORIES		
Targus 14'' Privacy Screen	A simple, practical way to safeguard your information from prying eyes.	**Latitude:** E5420, E6420
Kensington KeyFolio™ Bluetooth Keyboard and Folio	The Kensington KeyFolio™ Pro 2 keyboard case provides: ▪ a high-performance removable keyboard (available in 5 languages). ▪ Built-in Bluetooth technology delivering wireless operation and one button set-up	**Latitude:** ST

PRODUCT		SUMMARY	PLATFORM/ CHASSIS AVAILABILITY
		SYSTEM SETTINGS	
Dell Custom BIOS Settings		Multiple BIOS configurations to suit your needs: boot order, performance settings, legacy support, error management, security. See below for more information.	**All OptiPlex All Latitude All Precision**
Dell AutoRAID		AutoRAID is a service carried out during the server build in the factory that offers you a more complete selection of RAID array configurations. Available for all PowerEdge servers with PERC controllers and multiple disks.	**All PowerEdge** (excluding PERC H200, S100/S300)
40/60 GB 50/50% 80/20% 90/10% HDD partitioning		Minimise the risk of damaging crucial Operating System files by storing users' data on a separate partition of their hard drive. Custom hard drive partitioning divides the hard drive into separate drive letters. As Operating System files are located in their own partition, other partitions on the disk can be dedicated to data storage.	**All OptiPlex All Precision All Latitude**
3rd HDD bracket		If you need to add a third HDD to your OptiPlex MT, this option fits into the blank slot under the existing optical drive. (No external access). All cables and screws are provided . The hard drive required must also be selected.	**OptiPlex:** MT

Dell Custom BIOS settings. Optimise BIOS settings to your individual needs – summary of offers

Desktops

AC Power Recovery Set To Disabled AC Power Recovery Set To Enabled AC Power Recovery Set To Last
Boot First Device Hard Drive Boot First Device Optical Drive Boot First Device NIC Boot First Device USB
Chassis Intrusion Set To Disabled Chassis Intrusion Set To Enabled Silent Chassis Intrusion Set To Enabled
HDD SATA Operation to Raid AutoDetect AHCI (Win 7 64bit Restricted) HDD SATA Operation to Raid AutoDetect ATA .
NIC Set To Disabled NIC Set To Enabled NIC Set To On w/ PXE
Serial Port 1 Set To COM1 Serial Port 1 Set To COM3 Serial Port 1 Set To OFF .
Smart Reporting Off . Smart Reporting On
Speedstep On
Virtualization ON
Wake-On-Lan Set To Disabled Wake-On-Lan Set To Enabled with boot to NIC

Notebooks

Boot First Device Hard Drive Boot First Device Optical Drive Boot First Device NIC Boot First Device USB
Integrated NIC Enabled Integrated NIC Enabled w/ PXE Integrated NIC Off
Internal bluetooth Enabled/Off Internal Wi-Fi Enabled/Off SATA OPERATION (AHCI) SATA OPERATION (ATA)
USB Wake Support (Enabled) USB Wake Support (Off)
Virtualization Enabled/Off Wake on LAN (LAN only) Wake on LAN (LAN or WLAN) Wake on LAN (Off)
Wireless Radio Control WLAN enabled/disabled Wireless Radio Control WWAN enabled/disabled
Wireless switch BT Wireless switch None Wireless switch Wi-Fi Wireless switch Wi-Fi and BT